

Table 1 Larvicidal toxicity of seed methanolic extracts of *Asparagus setaceus* and *Cuscuta chinensis* on *Cx. quinquefasciatus*

Plant	Concentration (ppm)	Instars	Mean Mortality % ±SE		
			24 h	48 h	72 h
<i>A.setaceus</i>	100	First	49.32±0.33	52.00±0.00	56.00±0.57
		Second	49.32±0.33	52.00±0.57	53.32±0.33
		Third	42.68±0.66	46.68±0.33	50.68±0.33
		Fourth	42.68±0.33	44.00±0.57	45.32±0.33
	control		00.00±0.00	00.00±0.00	00.00±0.00
	200	First	50.68±0.33	54.68±0.33	62.68±0.33
		Second	49.32±0.33	52.00±0.00	54.68±0.33
		Third	46.68±0.33	46.68±0.33	52.00±0.33
		Fourth	45.32±0.33	48.00±0.00	49.32±0.33
	control		00.00±0.00	00.00±0.00	00.00±0.00
	300	First	58.64±0.33	64.00±0.57	69.32±0.33
		Second	54.68±0.33	60.00±0.57	65.32±0.66
		Third	50.68±0.66	54.68±0.33	56.00±0.57
		Fourth	50.68±0.33	53.32±0.33	54.68±0.66
	control		00.00±0.00	00.00±0.00	00.00±0.00
	<i>C.chinensis</i>	100	First	54.68±0.33	57.32±0.33
Second			54.68±0.33	54.68±0.33	57.32±0.33
Third			50.68±0.33	52.00±0.57	57.32±0.66
Fourth			45.32±0.33	49.32±0.66	52.00±0.57
control			00.00±0.00	00.00±0.00	00.00±0.00
200		First	65.32±0.33	68.00±0.57	70.68±0.33
		Second	61.32±0.33	64.00±0.00	64.00±0.00
		Third	57.32±0.33	60.00±0.00	62.68±0.33
		Fourth	50.68±0.33	54.68±0.33	61.32±0.33
control			00.00±0.00	00.00±0.00	00.00±0.00
300		First	70.68±0.33	76.00±0.57	86.68±0.33
		Second	69.32±0.33	69.32±0.33	82.68±0.33
		Third	60.00±0.57	62.68±0.88	68.00±1.00
		Fourth	61.32±0.33	65.32±0.88	66.68±1.20
control			00.00±0.00	00.00±0.00	00.00±0.00