

Table 2 Effect of *Ocimum gratissimum* oil on adult *Anopheles gambiae* mosquitoes

Conc. (ml)	Mortality at 6hours interval (%)					
	6	12	18	24	30	36
5.0	0.00±0.00 ^a	3.33±3.33 ^{ab}	20.00±5.77 ^b	60.00±5.77 ^{cd}	100.00±0.00 ^b	100.00±0.00 ^b
10.0	0.00±0.00 ^a	0.00±0.00 ^a	13.33±3.33 ^b	36.67±3.33 ^b	100.00±0.00 ^b	100.00±0.00 ^b
15.0	0.00±0.00 ^a	10.00±5.77 ^b	20.00±5.77 ^b	76.67±6.67 ^d	100.00±0.00 ^b	100.00±0.00 ^b
20.0	0.00±0.00 ^a	10.00±0.00 ^b	16.67±3.33 ^b	36.67±8.82 ^b	100.00±0.00 ^b	100.00±0.00 ^b
25.0	0.00±0.00 ^a	6.67±3.33 ^{ab}	16.67±3.33 ^b	56.67±8.82 ^c	100.00±0.00 ^b	100.00±0.00 ^b
Control	0.00±0.00 ^a	0.00±0.00 ^a	0.00±0.00 ^a	0.00±0.00 ^a	0.00±0.00 ^a	0.00±0.00 ^a

Note: Each value is a mean ± standard deviation of four replicates; Values with different letters horizontally are significantly different at $P \leq 0.05$ Duncan's Test.