

Table 2 Percent mortality of *An. stephensi* larvae using crude extracts of *N. nucifera* seed coats

Larval Instars	Concentration (%)	Mortality rate (Mean \pm SE)		
		24h	48h	72h
1 st	0.1	29.32 \pm 1.25	33.33 \pm 0.82	41.33 \pm 0.94
	0.2	37.32 \pm 1.63	45.33 \pm 1.41	52.00 \pm 0.82
	0.3	50.67 \pm 2.05	60.00 \pm 0.00	64.00 \pm 0.94
	0.4	68.00 \pm 1.63	73.33 \pm 0.94	80.00 \pm 1.47
	0.5	78.67 \pm 0.80	82.67 \pm 0.65	84.00 \pm 0.00
2 nd	0.1	24.00 \pm 0.94	32.00 \pm 0.82	36.00 \pm 1.70
	0.2	34.67 \pm 2.05	40.00 \pm 1.63	42.67 \pm 0.65
	0.3	52.00 \pm 2.16	56.00 \pm 2.05	60.00 \pm 0.82
	0.4	69.33 \pm 1.70	72.00 \pm 0.82	74.67 \pm 1.25
	0.5	73.33 \pm 1.41	77.33 \pm 0.47	80.00 \pm 0.00
3 rd	0.1	22.67 \pm 0.00	29.33 \pm 0.80	34.67 \pm 1.47
	0.2	32.00 \pm 0.94	37.33 \pm 1.25	40.00 \pm 2.45
	0.3	49.33 \pm 0.00	53.33 \pm 1.41	57.33 \pm 0.00
	0.4	66.67 \pm 1.94	69.33 \pm 1.25	74.67 \pm 1.41
	0.5	70.67 \pm 1.63	73.00 \pm 0.00	78.67 \pm 0.00
4 th	0.1	0.00 \pm 0.00	8.00 \pm 1.25	24.00 \pm 0.00
	0.2	2.67 \pm 1.25	9.33 \pm 0.47	30.67 \pm 0.00
	0.3	4.00 \pm 0.00	13.33 \pm 2.87	34.67 \pm 0.47
	0.4	5.33 \pm 0.47	17.33 \pm 1.45	36.00 \pm 0.82
	0.5	6.67 \pm 1.28	21.33 \pm 1.63	41.33 \pm 2.16